

Skin Testing for Allergies: Information and Consent

A skin allergy test can determine if your body has an allergic reaction to a known substance (an allergen). For most people, skin allergy skin testing takes about one hour.

Some drugs can cause problems with skin testing if they are taken within seven days before testing. We cannot test if you cannot stop taking these drugs or if you have skin disease that would make skin testing hard. In these cases, we can use a blood test instead.

Most drugs do not interfere with skin testing but make certain that your provider knows about every drug you are taking. Bring a list if needed.

Do you take any of these drugs?

If you are taking any of these drugs, please talk to the doctor who prescribed them. Ask them if it is okay to stop them seven days before testing. This will allow you to get the best results from your allergy test.

Antihistamines

- Benadryl/diphenhydramine
- Claritin/Loratadine
- Zyrtec/Cetirizine
- Allegra/Fexofenadine
- Xyzal/Levocetirizine
- Clarinex/Desloratadine
- Cyproheptadine
- Carbinoxamine
- Hydroxyzine
- Azelastine nasal sprav

Tricyclic Antidepressants

- Doxepin
- Amitriptyline
- Impramine
- Desipramine

H2 Blockers

- Pepcid/Famotidine
- Tagament/Cimetidine
- Zantac/Ranitidine

Steroids

- Oral prednisone greater than 30mg a day for seven days
- Any IV or intramuscular steroids
- Topical steroids on forearms and/or back in the last four weeks

3010 Anderson Dr. Raleigh, NC 27619 919.787.7171

BRIER CREEK OFFICE 10208 CERNY ST. STE 300 Raleigh, NC 27617 919.354.1290

MIDTOWN RALEIGH OFFICE WEST RALEIGH OFFICE Raleigh, NC 27607 919.787.1374

> **GARNER OFFICE** 300 Health Park Dr. Ste 210 Garner, NC 27529 919.662.8181

CARY OFFICE 4600 Lake Boone Trail. Ste 100 1505 SW CARY PKWY, STE 301 Raleigh, NC 27511 919.367.9774

> **HOLLY SPRINGS OFFICE** 781 Avent Ferry Rd. STE 300 Holly Springs, NC 27540 919.781.7171

WAKE FOREST OFFICE 835B Wake Forest Business Park Wake Forest, NC 27587 919.556.8454



- You can keep using intranasal allergy sprays such as Flonase, Rhinocort, Nasonex, and Nasacort.
- Asthma inhalers do not interfere with skin testing. You should keep using your inhaler as prescribed.
- Leukotriene antagonists such as Singulair or Accolate should not be taken the day before testing or the day of testing.
- Local steroid injections into joints are ok

Testing Methods

We use two testing methods. Most patients tolerate both types of testing well.

Prick testing

Pricking the skin of your forearm or upper back allows us to test up to ten allergens at a time. Twenty minutes after you receive the pricks, we will check the test sites to see which allergens have caused a reaction. A wheal -- a tiny bump that looks like a mosquito bite -- may show sensitivity to an allergen.

Intradermal testing

Depending on the results of your prick testing, your doctor may need to learn more about some environmental allergens. In this case, you will have intradermal testing.

For this test, a tiny amount of a diluted allergen is injected just under the skin. After ten minutes, we will look for and measure the resulting wheal.

If intradermal testing is recommended for you, we talk with to see if you want to proceed. You do not have to have this test if you are anxious about needles, but it is often the best way to test someone for allergies. This testing is not done on young children. We do not do this type of test for foods.

Testing Information

Skin testing is completed at a Raleigh Capitol ENT medical facility. A doctor or other provider will be present since a reaction may require immediate therapy. Severe reactions are rare, but the staff is fully trained, and emergency equipment is available in case this happens.

Please let your provider know if you are pregnant or taking beta-blockers. Allergy skin testing will be postponed until after your pregnancy in the unlikely event of a reaction. Beta-blockers may make treating any reaction harder.

Ask your doctor any questions you have about allergy skin testing.

Please keep your skin test appointment. If for any reason you need to change your skin test appointment, give us at least 72 hours' notice. This allows another patient to be scheduled in your place.

MIDTOWN RALEIGH OFFICE WEST RALEIGH OFFICE 3010 Anderson Dr. Raleigh, NC 27619 919.787.7171

BRIER CREEK OFFICE 10208 CERNY ST. STE 300 Raleigh, NC 27617 919.354.1290

Raleigh, NC 27607 919.787.1374

GARNER OFFICE 300 Health Park Dr. Ste 210 Garner, NC 27529 919.662.8181

CARY OFFICE 4600 Lake Boone Trail. Ste 100 1505 SW CARY PKWY. STE 301 Raleigh, NC 27511 919.367.9774

> HOLLY SPRINGS OFFICE 781 Avent Ferry Rd. STE 300 Holly Springs, NC 27540 919.781.7171

WAKE FOREST OFFICE 835B Wake Forest Business Park Wake Forest, NC 27587 919.556.8454



Getting Your Results

After skin testing, you will have a follow-up appointment with your doctor who will make treatment recommendations.

If the tests are positive for allergies, treatment options may include:

Avoidance

We may suggest changes in your diet, activities, and/or environment to decrease your exposure to allergens.

Medication

If symptoms are not controlled with avoidance, certain drugs may control or reduce your symptoms.

Allergy immunotherapy

If symptoms are not controlled with avoidance and/or drugs, we may recommend allergy shot (immunotherapy) treatment.

Each patient's allergy problems are unique. Once we confirm the allergens you are sensitive to, we will tailor a treatment plan to address your allergies.

I have read the patient information sheet on allergy skin testing, and I understand it. I was able to ask questions about the potential side effects of allergy skin testing, and these questions have been answered to my satisfaction. I understand that every precaution will be carried out to protect me against any reaction.

Patient signature		
Parent or legal guardian* sig *as a parent or legal gua entire visit.	nature rdian, I understand that I must accompany my child throughout the	е
Witness		